

# Overbrook City News and Events Calendar

## May 2017

**City Council** voted unanimously to approve a \$30,000 grant from USDA Rural Development to fund an Engineering Survey of our City water system including our wells and distribution grid. Kramer Engineering will be conducting the survey as soon as paperwork is completed.

**Note:** Included with this Newsletter is a copy of the 2016-year Consumer Confidence Report reflecting water quality data for City of Overbrook.

**Council accepted a donation of property** – the owners of the lot located north of the Post Office (SE corner of SFT Street & Main Street) donated the property to the City requesting only that the City pay appraisal and closing costs and provide a receipt of donation. The donation is very much appreciated and will be used to incentivize new business to our Main Street.

**City Trash & Recycle Pick Up service** – Council approved a 2-year extension of the contract with Osage Waste. Service for both regular trash and curbside recycling will continue at the current rate.

**Overbrook Police and Animal Control** has received complaints about dogs running loose. City ordinance # 383 (Dogs running at large) instructs authorities to fine the dog owner at the rate of \$60 for first offense; \$120 for second offense; and \$180 for additional offenses – plus, cost for boarding and court fees may be added. – Bottom line – DON'T LET YOUR DOG RUN LOOSE! City Council heard a request from a resident asking for a change to current the "pet limit" stated in City Ordinance #101 (three dogs plus one other pet - total of four "pets"). Council will consider with a decision due at the June meeting. **Residents can call City Hall to give their input regarding this potential change.**

**Overbrook Park & Recreation Commission** - on April 17, KS Department of Wildlife, Parks & Tourism representatives tested fish population in both city lakes. Largemouth bass, bluegill, and sunfish are in good numbers. Crappie are 8-9 inches long. Plus, there is a lot channel catfish in both lakes – some are huge! - It's always a good day when you take a child fishing!

**OPR Summer Youth Baseball** – teams are formed; first games are tentatively on Monday, May 22.

**Overbrook Public Swimming Pool** – open for the summer Saturday, May 20 with FREE SWIM!

**Overbrook Public Library** –repair of a reoccurring water leak in a foundation wall in the Children's area will be underway soon. Some outside construction work will be required. Please be mindful of safety while the work is being done. Summer reading program and all other Library events will continue as scheduled. – **Remember** . . . Friends of the Library annual Book Sale is July 26-29. Drop off your books now (through the back door) at the Library. Sale proceeds used to support the Library.

**Welcome "The Shop"** - a new business in Overbrook – owners Pat & Nancy Anderson have opened their auto, truck, and tractor repair shop in the new building at 126 West First Street. A Grand Opening celebration is planned for the week of May 15, including a huge NAPA Parts sale.

**Memorial Weekend information** – volunteers are needed to help set up the Avenue of Flags at our cemetery on Saturday morning (7am), May 27, and take them down on Monday afternoon (3pm), May 29. The Legion Honor Guard will hold the Memorial Day Service at our cemetery at 12:30pm Sunday, May 28. – weather permitting.

**The 115<sup>th</sup> Overbrook Rural High School Alumni Banquet** will be held at the United Methodist Church at 11am on Saturday, May 27. Advance reservations are required by May 12 through Mary Ann (Vanderslice) Leslie at 785-350-2213. Anyone connected with the school is welcome to attend.

May 16-19 OPR Kid's Fishing Clinic Overbrook City Lake 9AM to Noon \$20 contact City Hall for more info

## Calendar of events and activities for May 2017:

- Monday, May 1                   - Happy May Day!  
                                      - Recycle Pick Up Day!
- Wednesday, May 3               - Mayor's Community Prayer Breakfast at 6am at the Library Community Room,  
                                      honoring the annual National Day of Prayer
- Friday, May 5                   - Celebrate Cinco de Mayo
- Monday, May 8                   - Overbrook Library Board meeting at the Library at 7pm  
                                      - Overbrook American Legion Post #239 monthly meeting at 7:30pm
- Wednesday, May 10             - Monthly City Council Meeting at City Hall at 7pm
- Thursday, May 11               - Overbrook Housing Authority meeting at Oak Plaza at 8am
- Friday, May 12                 - SFT Junior High – 8<sup>th</sup> Grade Graduation at SFT High School at 7pm
- Saturday, May 13               - SFT Senior High – Senior Class Graduation at SFT High at 10am
- Sunday, May 14                 - Celebrate Mother's Day!
- Monday, May 15                 - Recycle Pick Up Day!  
  Mon – Sat, 15-20               - Grand Opening celebration for The Shop with NAPA Parts sales event
- Tuesday, May 16                - Planning & Zoning Commission monthly meeting at City Hall at 7pm  
                                      - Park & Recreation Board meeting at 7pm, at the Library
- Saturday, May 20                - Overbrook Swimming Pool opens for the season with a FREE SWIM!  
                                      - Overbrook PRIDE, Incorporated monthly meeting at the Legion at 8am
- Sat-Sun, May 20-21             - 4-H Junior Livestock Spring Show at the Fair Grounds
- Monday, May 22                 - Youth Summer League Baseball - Season opener!
- Tuesday, May 23                - Friends of the Library monthly meeting at 6:30pm in the Library
- Friday, May 26                 - City Council / Department Head work session at Noon in City Hall
- Saturday, May 27                - ORHS Alumni Banquet at UMC at 11am
- Monday, May 29                 - Memorial Day – City offices will be closed  
                                      – **RECYCLE PICK UP WILL BE ON TUESDAY, MAY 30 due to the holiday!**
- Every Wednesday              - Overbrook Library "Story Time" at the Library at 10:15am
- First & Third Monday's        - Overbrook Fire and EMT meeting at the Fire Hall at 7pm

**Note:** There is no Tuesday's Table community dinner this month! It will start again as a Noon Lunch every Tuesday beginning June 6!

### Looking ahead . . .

#### Vacation Bible School in Overbrook . . .

Grace Community Church - June 26-30, 9:00am to Noon – call the Church for details at 665-7117

Overbrook United Methodist – July 24-28, 5:30-8pm– call the Church for details at 665-7345

Overbrook Bible Church – exact dates/times yet to be announced

June 3 – Car Show and Truck Pull hosted by the Fair Board

June 9-10 –Rodeo at the Fair Grounds arena hosted by the Fair Board

June 10 – Emergency Showcase at City Park hosted by Overbrook Police and Fire departments

July 4 – Overbrook 4<sup>th</sup> of July Celebration and Fireworks Show (donate now to Overbrook, PRIDE, Inc.)

Have a great month in Overbrook! Support our stores and businesses!
---

NOW OPEN FOR BUSINESS .....

# **“THE SHOP”**

**126 WEST 1<sup>ST</sup> STREET  
OVERBROOK, KS**

**HOURS: M-F = 8-5**

**SAT = 8-NOON**

**PHONE 665-0145**

**\* \* \* \***

**MECHANICAL REPAIR  
FOR CARS, PICKUPS,  
TRUCKS, AND FARM  
EQUIPMENT!**

**\* \* \* \***

**OWNERS:**

**PAT & NANCY ANDERSON**

**\* \* \* \***

***GRAND OPENING CELEBRATION  
THE WEEK OF MAY 15!***

# 115<sup>th</sup> Annual Overbrook Rural High School ALUMNI BANQUET

Saturday, May 27, 2017

11:00 AM - Registration & Social Gathering - Sanctuary

11:45 AM - Welcome, Invocation, Memorial Service and Presentation of the  
Gopher Hall of Fame Award - Sanctuary

12:30 PM - Lunch - Fellowship Hall -- 1:30 PM - Intermission

1:45 PM - Business Meeting -- Sanctuary -- 2 PM - Presentation of Classes

(There will be a brief discussion regarding the ORHS trophies that are currently without a home.)

## Overbrook United Methodist Church

This year's honored classes are:

1937, 1942, 1947, 1952, 1957, 1962 and 1967

Anyone connected with the school as a student, teacher, or  
staff member is eligible to attend the banquet.

Reservations with payment must be received by  
Friday, May 12, 2017

Reservations are - \$18 per person

ORHS Alumni Association

Mail reservations to: PO Box 277

Overbrook, KS 66524

Hosted by the ORHS Graduating Class of 1966

Questions? Contact: Mary Ann (Vanderslice) Leslie @ 785.350.2213 or  
by email -- [mavleslie48@yahoo.com](mailto:mavleslie48@yahoo.com)

(Additional donations for the ORHS Alumni Association's treasury would be most welcome.)

### Draft AGENDA Regular Council Meeting CITY OF OVERBROOK May 10, 2017 7:00PM Overbrook City Hall 401 Maple St.

- A. Call to Order and Roll Call
- B. Approval of Agenda
- C. Consent Agenda
  - C.1 Minutes -- 4/12/17 Regular Council Meeting Minutes
  - 4/28/17 Work Session Notes
  - C.2 Warrants
  - C.3 Request to Shred City Documents
  - C.4 Animal Control Report
  - C.5 Planning Commission Report P&Z Minutes
  - C.6 Zoning Administrator Report
  - C.7 Housing Authority Board Report
  - C.8 Water Distribution System Report
  - C.9 Emergency Planning Group Report
  - C.10 Library Board Report
  - C.11 Police Department Report
  - C.12 Code Compliance Report
  - C.13 Maintenance Department Report
  - C.14 City Clerk Report
  - C.15 OPR Director Report
- D. Special Reports
  - D.1 New Liquor Store Owners City License
- E. Public Comments
- F. Utility Billing Account Hearings
- G. Council Action/Discussion Items
  - G.1 Treasurer Report -- Cathy Sowers
  - G.2 Police Department Action Items
  - G.3 Code Compliance Action Items
  - G.4 Zoning Administrator Action Items
  - G.5 Maintenance Department Action Items
  - G.6 Administration Department Action Items
  - G.7 Parks and Recreation Action Items: Ways to pay for fish food City Lake
  - G.8 Library Board Action Items
- H. Unfinished Business
  - H.1 Review of Number of Allowable Pets in household
  - H.2 Review Vendor Permit and Peddler/Solicitor Ordinance, Special Events
  - H.3 Board Terms
  - H.4 Other Unfinished Business
- I. New Business
  - I.1 Garrett's Fireworks Stand Permit
  - I.2 Other New Business
- J. Council Member Comments
- K. Mayor's Report
- L. Adjournment

(Note: A break may be scheduled at the Council's Discretion.) This Agenda is subject to change in order/content without prior notice. Council Meetings are open to the public and the Council encourages all citizens to attend. The Agenda may be limited to previously identified items at hand. If you would like to be added to the agenda to speak to the Council, please contact Jim Koger, City Clerk, at 785-665-7328 or by email at [cityclerk@overbrookks.com](mailto:cityclerk@overbrookks.com).

# CITY OF OVERBROOK

## Consumer Confidence Report – 2017

### Covering Calendar Year – 2016



This brochure is a snapshot of the quality of the water that we provided last year. Included are the details about where your water comes from, what it contains, and how it compares to Environmental Protection Agency (EPA) and state standards. We are committed to providing you with information because informed customers are our best allies. If you would like to observe the decision-making process that affect drinking water quality, please call DON SCHULTZ at 785-665-7328.

Our drinking water is supplied from another water system through a Consecutive Connection (CC). Your water comes from 5 Ground Water Wells and:

Buyer Name	Seller Name
CITY OF OVERBROOK	OSAGE CO RWD 5
OSAGE CO RWD 5	CITY OF CARBONDALE
OSAGE CO RWD 5	DOUGLAS CO RWD 3
DOUGLAS CO RWD 3	CITY OF TOPEKA

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as those with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) included rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in sources water before we treat it include:  
Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, livestock operations and wildlife.  
Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.  
Pesticides and herbicides, which may come from a variety of sources such as storm water run-off, agriculture, and residential users.  
Radioactive contaminants, which can be naturally occurring or the result of mining activity.  
Organic contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and also come from gas stations, urban storm water run-off, and septic systems.

In order to ensure that tap water is safe to drink, EPA prescribes regulation which limits the amount of certain contaminants in water provided by public water systems. We treat our water according to EPA's regulations. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

Our water system is required to test a minimum of 2 samples per month in accordance with the Total Coliform Rule for microbiological contaminants.

Coliform bacteria are usually harmless, but their presence in water can be an indication of disease-causing bacteria. When coliform bacteria are found, special follow-up tests are done to determine if harmful bacteria are present in the water supply. If this limit is exceeded, the water supplier must notify the public.

#### Water Quality Data

The following tables list all of the drinking water contaminants which were detected during the 2016 calendar year. The presence of these contaminants does not necessarily indicate the water poses a health risk. Unless noted, the data presented in this table is from the testing done January 1- December 31, 2016. The state requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data, though representative of the water quality, is more than one year old. **The bottom line is that the water that is provided to you is safe.**

#### Terms & Abbreviations

**Maximum Contaminant Level Goal (MCLG):** the "Goal" is the level of a contaminant in drinking water below which there is no known or expected risk to human health. MCLGs allow for a margin of safety.

**Maximum Contaminant Level (MCL):** the "Maximum Allowed" MCL is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

**Secondary Maximum Contaminant Level (SMCL):** recommended level for a contaminant that is not regulated and has no MCL.

**Action Level (AL):** the concentration of a contaminant that, if exceeded, triggers treatment or other requirements.

**Treatment Technique (TT):** a required process intended to reduce levels of a contaminant in drinking water.

**Maximum Residual Disinfectant Level (MRDL):** the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**Non-Detects (ND):** lab analysis indicates that the contaminant is not present.

**Parts per Million (ppm)** or milligrams per liter (mg/l)

**Parts per Billion (ppb)** or micrograms per liter (µg/l)

**Picocuries per Liter (pCi/L):** a measure of the radioactivity in water.

**Millirems per Year (mrem/yr):** measure of radiation absorbed by the body.

**Monitoring Period Average (MPA):** An average of sample results obtained during a defined time frame, common examples of monitoring periods are monthly, quarterly and yearly.

**Nephelometric Turbidity Unit (NTU):** a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person. Turbidity is not regulated for groundwater systems.

**Running Annual Average (RAA):** an average of sample results obtained over the most current 12 months and used to determine compliance with MCLs.

**Locational Running Annual Average (LRAA):** Average of sample analytical results for samples taken at a particular monitoring location during the previous four calendar quarters.

Testing Results for: CITY OF OVERBROOK

Regulated Contaminants	Collection Date	Your Highest Value	Range (low/high)	Unit	MCL	MCLG	Typical Source
ARSENIC	9/9/2015	1.3	1.3	ppb	10	0	Erosion of natural deposits
BARIUM	9/9/2015	0.081	0.081	ppm	2	2	Discharge from metal refineries
FLUORIDE	9/9/2015	0.83	0.83	ppm	4	4	Natural deposits; Water additive which promotes strong teeth.
NITRATE	5/15/2016	0.16	0.16	ppm	10	10	Runoff from fertilizer use
SELENIUM	9/9/2015	4.2	4.2	ppb	50	50	Erosion of natural deposits

Disinfection Byproducts	Monitoring Period	Your Highest RAA	Range (low/high)	Unit	MCL	MCLG	Typical Source
TTHM	2015	5	4.8	ppb	80	0	By-product of drinking water chlorination

Lead and Copper	Monitoring Period	90 <sup>th</sup> Percentile	Range (low/high)	Unit	AL	Sites Over AL	Typical Source
COPPER, FREE	2012 - 2014	0.4	0.034 - 0.7	ppm	1.3	0	Corrosion of household plumbing
LEAD	2012 - 2014	4.7	1.2 - 46	ppb	15	1	Corrosion of household plumbing

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Your water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

Radiological Contaminants	Collection Date	Your Highest Value	Range (low/high)	Unit	MCL	MCLG	Typical Source
COMBINED RADIUM (-226 & -228)	9/9/2015	3.3	3.3	PCIL	5	0	Erosion of natural deposits

Secondary Contaminants-Non Health Based Contaminants-No Federal Maximum Contaminant Level (MCL) Established.	Collection Date	Your Highest Value	Range (low/high)	Unit	SMCL
ALKALINITY, TOTAL	9/9/2015	270	270	MG/L	300
ALUMINUM	9/9/2015	0.013	0.013	MG/L	0.05
CALCIUM	9/9/2015	35	35	MG/L	200
CHLORIDE	9/9/2015	180	180	MG/L	250
CONDUCTIVITY @ 25 C UMHO/CM	9/9/2015	1200	1200	UMHO/CM	1500
CORROSIVITY	9/9/2015	0.061	0.061	LANG	0
HARDNESS, TOTAL (AS CaCO3)	9/9/2015	130	130	MG/L	400
IRON	9/9/2015	0.1	0.1	MG/L	0.3
MAGNESIUM	9/9/2015	12	12	MG/L	150
MANGANESE	9/9/2015	0.0096	0.0096	MG/L	0.05
PH	9/9/2015	7.6	7.6	PH	8.5
PHOSPHORUS, TOTAL	9/9/2015	2	2	MG/L	5
POTASSIUM	9/9/2015	2.1	2.1	MG/L	100
SILICA	9/9/2015	18	18	MG/L	50
SODIUM	9/9/2015	220	220	MG/L	100
SULFATE	9/9/2015	42	42	MG/L	250

During the 2016 calendar year, we had the below noted violation(s) of drinking water regulations.

Compliance Period	Analyte	Comments
1/1/2016 - 12/31/2016	TOTAL HALOACETIC ACIDS (HAA5)	FAILURE TO MONITOR
1/1/2016 - 12/31/2016	TRICHALOMETHANES-TTHM	FAILURE TO MONITOR
1/1/2016 - 12/31/2016	PUBLIC NOTICE	PUBLIC NOTICE RULE LINKED TO VIOLATION
1/1/2016 - 12/31/2016	PUBLIC NOTICE	PUBLIC NOTICE RULE LINKED TO VIOLATION

Some or all of our drinking water is supplied from another water system. The table below lists all of the drinking water contaminants, which were detected during the 2016 calendar year from the water systems that we purchase drinking water from.

Regulated Contaminants	Collection Date	Water System	Your Highest Value	Range (low/high)	Unit	MCL	MCLG	Typical Source
ATRAZINE	7/18/2016	CITY OF CARBONDALE	1.6	1.6	ppb	3	3	Runoff from herbicide used on row crops
BARIUM	4/11/2016	CITY OF CARBONDALE	0.078	0.078	ppm	2	2	Discharge from metal refineries
FLUORIDE	7/11/2016	CITY OF TOPEKA	0.6	0.43 - 0.6	ppm	4	4	Natural deposits; Water additive which promotes strong teeth.
NITRATE	6/23/2016	CITY OF TOPEKA	1.6	1.6	ppm	10	10	Runoff from fertilizer use
SELENIUM	5/9/2016	CITY OF TOPEKA	1.6	1.6	ppb	50	50	Erosion of natural deposits

Secondary Contaminants	Collection Date	Water System	Your Highest Value	Range (low/high)	Unit	SMCL
ACETOCHLOR	6/21/2016	CITY OF TOPEKA	0.74	0.74	UG/L	
ALKALINITY, TOTAL	4/11/2016	CITY OF CARBONDALE	110	110	MG/L	300
ALUMINUM	5/9/2016	CITY OF TOPEKA	0.039	0.039	MG/L	0.05
CALCIUM	5/9/2016	CITY OF TOPEKA	45	45	MG/L	200
CHLORIDE	5/9/2016	CITY OF TOPEKA	30	30	MG/L	250
CONDUCTIVITY @ 25 C UMHO/CM	5/9/2016	CITY OF TOPEKA	410	410	UMHO/CM	1500
CORROSIVITY	5/9/2016	CITY OF TOPEKA	1.5	1.5	LANG	0
DESETHYLATRAZINE	6/21/2016	CITY OF TOPEKA	1.3	1.3	UG/L	
DES-ISOPROPYL-ATRAZINE	6/21/2016	CITY OF TOPEKA	0.4	0.4	UG/L	
HARDNESS, TOTAL (AS CaCO3)	5/9/2016	CITY OF TOPEKA	140	140	MG/L	400
IRON	9/9/2015	OSAGE CO RWD 5	0.37	0.37	MG/L	0.3
MAGNESIUM	4/11/2016	CITY OF CARBONDALE	8.3	8.3	MG/L	150
MANGANESE	4/11/2016	CITY OF CARBONDALE	0.0039	0.0039	MG/L	0.05
METOLACHLOR	6/21/2016	CITY OF TOPEKA	6.9	6.9	ppb	
METRIBUZIN	6/21/2016	CITY OF TOPEKA	0.31	0.31	UG/L	
PH	5/9/2016	CITY OF TOPEKA	9.6	9.6	PH	8.5
PHOSPHORUS, TOTAL	5/9/2016	CITY OF TOPEKA	0.38	0.38	MG/L	5
POTASSIUM	5/9/2016	CITY OF TOPEKA	6.9	6.9	MG/L	100
SILICA	5/9/2016	CITY OF TOPEKA	9.8	9.8	MG/L	50
SODIUM	5/9/2016	CITY OF TOPEKA	31	31	MG/L	100
SULFATE	5/9/2016	CITY OF TOPEKA	80	80	MG/L	250
TDS	5/9/2016	CITY OF TOPEKA	260	260	MG/L	500
ZINC	4/11/2016	CITY OF CARBONDALE	0.0064	0.0064	MG/L	5

Please Note: Because of sampling schedules, results may be older than 1 year.

During the 2016 calendar year, the water systems that we purchase water from had the below noted violation(s) of drinking water regulations.

Water System	Analyte	Compliance Period	Comments
CITY OF CARBONDALE	TOTAL CARBON	1/1/2016-3/31/2016	DID NOT MEET THE REQUIRED RUNNING ANNUAL AVERAGE (RAA) REMOVAL RATIO
CITY OF CARBONDALE	TOTAL CARBON	4/1/2016-6/30/2016	DID NOT MEET THE REQUIRED RUNNING ANNUAL AVERAGE (RAA) REMOVAL RATIO
CITY OF CARBONDALE	TOTAL CARBON	7/1/2016-9/30/2016	DID NOT MEET THE REQUIRED RUNNING ANNUAL AVERAGE (RAA) REMOVAL RATIO
CITY OF CARBONDALE	TOTAL CARBON	10/1/2016-12/31/2016	DID NOT MEET THE REQUIRED RUNNING ANNUAL AVERAGE (RAA) REMOVAL RATIO
OSAGE CO RWD 5	TRICHALOMETHANES-TTHM	7/1/2016-9/30/2016	EXCEEDED MAXIMUM CONTAMINANT LEVEL (MCL)
OSAGE CO RWD 5	TRICHALOMETHANES-TTHM	10/1/2016-12/31/2016	EXCEEDED MAXIMUM CONTAMINANT LEVEL (MCL)
DOUGLAS CO RWD 3	TRICHALOMETHANES-TTHM	4/1/2016-6/30/2016	EXCEEDED MAXIMUM CONTAMINANT LEVEL (MCL)